

# Product datasheet for TA350182

## **MRPL12 Rabbit Polyclonal Antibody**

### **Product data:**

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: 293T cells IHC: 50-200 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human MRPL12
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	21 kDa
Gene Name:	mitochondrial ribosomal protein L12
Database Link:	<u>NP_002940</u> Entrez Gene 56282 MouseEntrez Gene 6182 Human P52815



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **MRPL12** Rabbit Polyclonal Antibody – TA350182


Background:Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in<br/>protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes)<br/>consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein<br/>to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed.<br/>Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that<br/>the latter contain a 5S rRNA. Among different species, the proteins comprising the<br/>mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which<br/>prevents easy recognition by sequence homology.

#### **Synonyms:** 5c5-2; 34; L12; L12mt; MRP-L31; MRPL7; RPML12


#### **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane: 293T cells Primary antibody: TA350182 (MRPL12 Antibody) at dilution 1/300 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA350182 (MRPL12 Antibody) at dilution 1/25 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA350182 (MRPL12 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA350182 (MRPL12 Antibody) at dilution 1/25 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA350182 (MRPL12 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US