

Product datasheet for TA350191

MTP18 (MTFP1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse heart tissue lysate

IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human MTFP1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 18 kDa

Gene Name: mitochondrial fission process 1

Database Link: NP 001003704

Entrez Gene 51537 Human

Q9UDX5

Background: MTP18 (mitochondrial 18 kDa protein), also known as HSPC242, is a 166 amino acid protein

essential for cell viability. MTP18 may also have a role in maintaining the integrity of the mitochondrial network. Localized to the mitochonrion, expression of MTP18 is regulated by the PI 3-kinase pathway. Loss of function of MTP18 results in the release of cytochrome c,

which subsequently activates the caspase cascade and leads to apoptosis.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: HSPC242; MTP18

Product images:




Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Mouse heart tissue lysate Primary antibody: TA350191 (MTFP1 Antibody) at

dilution 1/500 Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 7 seconds



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA350191 (MTFP1 Antibody) at dilution 1/80 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA350191 (MTFP1 Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)