

# **Product datasheet for TA350195**

### **MyoGEF (PLEKHG6) Rabbit Polyclonal Antibody**

### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 231 cells

IHC: 100-300

Positive control: Human lung cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human PLEKHG6

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 89 kDa

Gene Name: pleckstrin homology and RhoGEF domain containing G6

Database Link: NP 060643

Entrez Gene 55200 Human

Q3KR16



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### Background:

PLEKHG6 functions as a guanine nucleotide exchange factor activating the small GTPase RHOA, which, in turn, induces myosin filament formation. It activates RHOG but not activate RAC1, or to a much lower extent than RHOA and RHOG. Part of a functional unit, involving MyoGEF, MYH10 and RHOA, at the cleavage furrow to advance furrow ingression during cytokinesis. In epithelial cells, required for the formation of microvilli and membrane ruffles on the apical pole. Along with EZR, required for normal macropinocytosis.

Synonyms: MyoGEF

# **Product images:**



Gel: 6%SDS-PAGE Lysate: 40 μg Lane: 231 cells


Primary antibody: TA350195 (PLEKHG6 Antibody)

at dilution 1/800

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA350195 (PLEKHG6 Antibody) at dilution 1/45 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA350195 (PLEKHG6 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA350195 (PLEKHG6 Antibody) at dilution 1/45 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA350195 (PLEKHG6 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)