

# Product datasheet for TA350224S

# **PVRL4 (NECTIN4) Rabbit Polyclonal Antibody**

### **Product data:**

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: MCF7 cell lysate IHC: 100-200 Positive control: Human liver cancer Predicted cell location: Secreted
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human PVRL4
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	55 kDa
Gene Name:	nectin cell adhesion molecule 4
Database Link:	<u>NP_112178</u> Entrez Gene 81607 Human Q96NY8

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **PVRL4 (NECTIN4) Rabbit Polyclonal Antibody – TA350224S**


Background:	This gene encodes a member of the nectin family. The encoded protein contains two immunoglobulin-like (Ig-like) C2-type domains and one Ig-like V-type domain. It is involved in cell adhesion through trans-homophilic and -heterophilic interactions. It is a single-pass type I membrane protein. The soluble form is produced by proteolytic cleavage at the cell surface by the metalloproteinase ADAM17/TACE. The secreted form is found in both breast tumor cell lines and breast tumor patients. Mutations in this gene are the cause of ectodermal dysplasia-syndactyly syndrome type 1, an autosomal recessive disorder. Alternatively spliced transcript variants have been found but the full-length nature of the variant has not been

Synonyms:	EDSS1; LNIR; nectin-4; PRR4; PVRL4
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Adherens junction

### **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg Lane: MCF7 cell lysate Primary antibody: [TA350224] (NECTIN4 Antibody) at dilution 1/550 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 2 minutes


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350224] (NECTIN4 Antibody) at dilution 1/90 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350224] (NECTIN4 Antibody) at dilution 1/90, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350224] (NECTIN4 Antibody) at dilution 1/90 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350224] (NECTIN4 Antibody) at dilution 1/90, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US