

# Product datasheet for TA350295S

# PP2A-alpha (PPP2CA) Rabbit Polyclonal Antibody

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: Mouse brain tissue IHC: 25-100 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human PPP2CA
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	36 kDa
Gene Name:	protein phosphatase 2 catalytic subunit alpha
Database Link:	<u>NP_002706</u> <u>Entrez Gene 19052 MouseEntrez Gene 24672 RatEntrez Gene 5515 Human</u> <u>P67775</u>
Background:	This gene encodes the phosphatase 2A catalytic subunit. Protein phosphatase 2A is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. This gene encodes an alpha isoform of the catalytic subunit.
Synonyms:	PP2Ac; PP2CA; PP2Calpha; RP-C




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## Service PP2A-alpha (PPP2CA) Rabbit Polyclonal Antibody – TA350295S


**Protein Families:** Druggable Genome, Phosphatase, Transcription Factors

Protein Pathways:Long-term depression, Oocyte meiosis, TGF-beta signaling pathway, Tight junction, Wnt<br/>signaling pathway


### **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane: Mouse brain tissue Primary antibody: [TA350295] (PPP2CA Antibody) at dilution 1/450 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350295] (PPP2CA Antibody) at dilution 1/35 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350295] (PPP2CA Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350295] (PPP2CA Antibody) at dilution 1/35 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350295] (PPP2CA Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US