

## Product datasheet for **TA350325S**

### RAN Rabbit Polyclonal Antibody

#### Product data:


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Hela and Jurkat cells, Mouse kidney tissue IHC: 30-150 Positive control: Human breast cancer Predicted cell location: Cytoplasm and Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Full length fusion protein
Formulation:	pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	24 kDa
Gene Name:	RAN, member RAS oncogene family
Database Link:	<a href="#">NP_006316</a> <a href="#">Entrez Gene 19384 Mouse</a> <a href="#">Entrez Gene 84509 Rat</a> <a href="#">Entrez Gene 5901 Human</a> <a href="#">P62826</a>
Background:	RAN (ras-related nuclear protein) is a small GTP binding protein belonging to the RAS superfamily that is essential for the translocation of RNA and proteins through the nuclear pore complex. The RAN protein is also involved in control of DNA synthesis and cell cycle progression. Nuclear localization of RAN requires the presence of regulator of chromosome condensation 1 (RCC1). Mutations in RAN disrupt DNA synthesis.
Synonyms:	ARA24; Gsp1; TC4




[View online »](#)

Protein Families: Druggable Genome, Transcription Factors


### Product images:




Gel: 12%SDS-PAGE  
Lysate: 40  $\mu$ g  
Lane 1-3: HeLa cells  
Jurkat cells  
Mouse kidney tissue  
Primary antibody: [TA350325] (RAN Antibody) at dilution 1/200  
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution  
Exposure time: 30 seconds




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA350325] (RAN Antibody) at dilution 1/20 (Original magnification:  $\times$ 200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA350325] (RAN Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA350325] (RAN Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA350325] (RAN Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)