

# Product datasheet for TA350334S

# **RASSF7 Rabbit Polyclonal Antibody**

## **Product data:**

Rockville, MD 20850, US Phone: +1-888-267-4436

https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

| Product Type:           | Primary Antibodies   |
|-------------------------|--|
| Applications:           | IHC, WB  |
| Recommended Dilution:   | WB: 500-2000<br>WB positive control: Raji cells<br>IHC: 25-100<br>Positive control: Human esophagus cancer<br>Predicted cell location: Cytoplasm |
| Reactivity:             | Human  |
| Host:                   | Rabbit   |
| lsotype:                | IgG  |
| Clonality:              | Polyclonal   |
| Immunogen:              | Fusion protein of human RASSF7   |
| Formulation:            | pH7.4 PBS, 0.05% NaN3, 40% Glyceroln   |
| Purification:           | Antigen affinity purification  |
| Conjugation:            | Unconjugated   |
| Storage:                | Store at -20°C as received.  |
| Stability:              | Stable for 12 months from date of receipt.   |
| Predicted Protein Size: | 40 kDa   |
| Gene Name:              | Ras association domain family member 7   |
| Database Link:          | <u>NP_003466</u><br><u>Entrez Gene 8045 Human</u><br><u>Q02833</u>   |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **GRIGENE** RASSF7 Rabbit Polyclonal Antibody – TA350334S

#### Background:


RASSF7 (Ras association domain-containing protein 7), also designated HRAS1-related cluster protein 1, is a 373 amino acid protein that localizes to the centrosome. RASSF7, RASSF8, RASSF9 and RASSF10 are four evolutionary conserved proteins that are collectively known as the N-terminal RASSF family. Expressed in skin, neural tube and eye, RASSF7 is believed to play an essential role in mitosis. Further supporting its mitotic role, knockdown of Xenopus RASSF7 has been shown to influence cell failure to form mitotic spindle and also cause nuclear breakdown and apoptosis.

Synonyms: C11orf13; HRAS1; HRC1

# **Product images:**


kDa 130 — 95 — 72 — 55 — 36 — 28 — 17 —

Gel: 8%SDS-PAGE Lysate: 60 µg Lane: Raji cells Primary antibody: [TA350334] (RASSF7 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA350334] (RASSF7 Antibody) at dilution 1/45 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA350334] (RASSF7 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US