

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA350353

Ribonuclease Inhibitor (RNH1) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Human fetal brain and normal liver tissue, human normal kidney tissue and hepg2 cells IHC: 25-100 Positive control: Human breast cancer Predicted cell location: Cytoplasm or Nucleus
Reactivity:	Human
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human RNH1
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	50 kDa
Gene Name:	ribonuclease/angiogenin inhibitor 1
Database Link:	<u>NP_002930</u> <u>Entrez Gene 6050 Human</u> <u>P13489</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Ribonuclease Inhibitor (RNH1) Rabbit Polyclonal Antibody – TA350353
Background:	Placental ribonuclease inhibitor (PRI) is a member of a family of proteinaceous cytoplasmic RNase inhibitors that occur in many tissues and bind to both intracellular and extracellular RNases (summarized by Lee et al., 1988 [PubMed 3219362]). In addition to control of intracellular RNases, the inhibitor may have a role in the regulation of angiogenin (MIM 105850). Ribonuclease inhibitor, of 50,000 Da, binds to ribonucleases and holds them in a latent form.


Synonyms:

RAI; RNH

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-4: Human fetal brain tissue Human normal liver tissue human normal kidney tissue hepg2 cells Primary antibody: TA350353 (RNH1 Antibody) at dilution 1/400 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA350353 (RNH1 Antibody) at dilution 1/40 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA350353 (RNH1 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human brain tissue using TA350353 (RNH1 Antibody) at dilution 1/40 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human brain tissue using TA350353 (RNH1 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US