

Product datasheet for **TA350355**

RIPK5 (DSTYK) Rabbit Polyclonal Antibody

Product data:


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: 823 and hepg2 cells IHC: 25-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human DSTYK
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	105 kDa
Gene Name:	dual serine/threonine and tyrosine protein kinase
Database Link:	NP_056190 Entrez Gene 25778 Human Q6XUX3
Background:	This gene encodes a dual serine/threonine and tyrosine protein kinase which is expressed in multiple tissues. It is thought to function as a regulator of cell death. Multiple transcript variants encoding different isoforms have been found for this gene.
Synonyms:	CAKUT1; DustyPK; HDCMD38P; RIP5; RIPK5




[View online »](#)

Protein Families: Druggable Genome, Protein Kinase


Product images:



Gel: 6%SDS-PAGE
Lysate: 40 μ g
Lane 1-2: 823 cells
hepg2 cells
Primary antibody: TA350355 (DSTYK Antibody) at dilution 1/200
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA350355 (DSTYK Antibody) at dilution 1/25 (Original magnification: \times 200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA350355 (DSTYK Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)