

Product datasheet for TA350477

STX19 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 231 cell

IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 34 kDa

Gene Name: syntaxin 19
Database Link: NP 001001850

Entrez Gene 68159 MouseEntrez Gene 415117 Human

Q8N4C7

Background: Syntaxin 19, also known as STX19, is a 294 amino acid peripheral membrane protein that

contains one t-SNARE coiled-coil homology domain and belongs to the syntaxin family, suggesting a role in synaptic vesicle fusion. The gene encoding Syntaxin 19 maps to human chromosome 3, which houses over 1,100 genes, including a chemokine receptor (CKR) gene

cluster and a variety of human cancer-related gene loci.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: MGC21382

Protein Families: Druggable Genome

Protein Pathways: SNARE interactions in vesicular transport

Product images:



Gel: 10%SDS-PAGE Lysate: 80 μg Lane: 231 cell


Primary antibody: TA350477 (STX19 Antibody) at

dilution 1/800

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA350477 (STX19 Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA350477 (STX19 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)