

## **Product datasheet for TA350479S**

## **TAF12 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human TAF12

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** TATA-box binding protein associated factor 12

Database Link: NP 005635

Entrez Gene 6883 Human

Q16514

**Background:** Control of transcription by RNA polymerase II involves the basal transcription machinery

which is a collection of proteins. These proteins with RNA polymerase II, assemble into complexes which are modulated by transactivator proteins that bind to cis-regulatory elements located adjacent to the transcription start site. Some modulators interact directly with the basal complex, whereas others may act as bridging proteins linking transactivators to the basal transcription factors. Some of these associated factors are weakly attached while

others are tightly associated with TBP in the TFIID complex. Among the latter are the TAF

proteins.

Synonyms: TAF2|; TAFII20



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




**Protein Families:** Transcription Factors

**Protein Pathways:** Basal transcription factors

## **Product images:**




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350479] (TAF12 Antibody) at dilution 1/35 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350479] (TAF12 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA350479] (TAF12 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA350479] (TAF12 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)