

Product datasheet for TA350527S

TNFAIP8 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: TNF alpha induced protein 8

Database Link: NP 055165

Entrez Gene 106869 MouseEntrez Gene 25816 Human

095379

Background: Acts as a negative mediator of apoptosis and may play a role in tumor progression.

Suppresses the TNF-mediated apoptosis by inhibiting caspase-8 activity but not the

processing of procaspase-8, subsequently resulting in inhibition of BID cleavage and caspase-

3 activation.

Synonyms: GG2-1; MDC-3.13; NDED; SCC-S2; SCCS2

Protein Families: Druggable Genome




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350527] (TNFAIP8 Antibody) at dilution 1/35 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350527] (TNFAIP8 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA350527] (TNFAIP8 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA350527] (TNFAIP8 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)