

Product datasheet for TA350654S

E2F4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human thyroid cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human E2F4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: E2F transcription factor 4

Database Link: NP 001941

Entrez Gene 104394 MouseEntrez Gene 1874 Human

Q16254

Background: The protein encoded by this gene is a member of the E2F family of transcription factors. The

E2F family plays a crucial role in the control of cell cycle and action of tumor suppressor proteins and is also a target of the transforming proteins of small DNA tumor viruses. The E2F proteins contain several evolutionally conserved domains found in most members of the

family. These domains include a DNA binding domain, a dimerization domain which

determines interaction with the differentiation regulated transcription factor proteins (DP), a transactivation domain enriched in acidic amino acids, and a tumor suppressor protein association domain which is embedded within the transactivation domain. This protein binds to all three of the tumor suppressor proteins pRB, p107 and p130, but with higher affinity to

the last two.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: E2F-4

Protein Families: Druggable Genome, Transcription Factors
Protein Pathways: Cell cycle, TGF-beta signaling pathway

Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350654] (E2F4 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350654] (E2F4 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350654] (E2F4 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350654] (E2F4 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)