

Product datasheet for **TA350657S**

Endothelin A Receptor (EDNRA) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: A549 cell lysate IHC: 50-200 Positive control: Human cervical cancer Predicted cell location: Cytoplasm and Cell membrane
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human EDNRA
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	49 kDa
Gene Name:	endothelin receptor type A
Database Link:	NP_001948 Entrez Gene 13617 Mouse Entrez Gene 1909 Human P25101
Background:	This gene encodes the receptor for endothelin-1, a peptide that plays a role in potent and long-lasting vasoconstriction. This receptor associates with guanine-nucleotide-binding (G) proteins, and this coupling activates a phosphatidylinositol-calcium second messenger system. Polymorphisms in this gene have been linked to migraine headache resistance. Alternative splicing results in multiple transcript variants.
Synonyms:	ET-A; ETA; ETA-R; ETAR; ETRA; hET-AR



[View online »](#)

Protein Families: Druggable Genome, GPCR, Transmembrane


Protein Pathways: Calcium signaling pathway, Neuroactive ligand-receptor interaction, Vascular smooth muscle contraction

Product images:


kDa
130—
95—
72—
55—
36—
28—
17—




Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane: A549 cell lysate
Primary antibody: [TA350657] (EDNRA Antibody) at dilution 1/500
Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution
Exposure time: 5 minutes




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA350657] (EDNRA Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA350657] (EDNRA Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA350657] (EDNRA Antibody) at dilution 1/50 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA350657] (EDNRA Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: $\times 200$)