

Product datasheet for TA350675

Follistatin (FST) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human breast cancer Predicted cell location: cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human FST

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: follistatin

Database Link: NP 037541

Entrez Gene 14313 MouseEntrez Gene 24373 RatEntrez Gene 10468 Human

P19883

Background: Follistatin is a single-chain gonadal protein that specifically inhibits follicle-stimulating

hormone release. The single FST gene encodes two isoforms, FST317 and FST344 containing 317 and 344 amino acids respectively, resulting from alternative splicing of the precursor mRNA. In a study in which 37 candidate genes were tested for linkage and association with polycystic ovary syndrome (PCOS) or hyperandrogenemia in 150 families, evidence was

found for linkage between PCOS and follistatin.

Synonyms: FS

Protein Families: Druggable Genome, Secreted Protein



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Pathways: TGF-beta signaling pathway

Product images:




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA350675 (FST Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA350675 (FST Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA350675 (FST Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA350675 (FST Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)