

## **Product datasheet for TA350706S**

## **MASP2 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human MASP2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: mannan binding lectin serine peptidase 2

Database Link: NP 006601

Entrez Gene 17175 MouseEntrez Gene 64459 RatEntrez Gene 10747 Human

O00187

**Background:** The Ra-reactive factor (RARF) is a complement-dependent bactericidal factor that binds to the

Ra and R2 polysaccharides expressed by certain enterobacteria. Alternate splicing of this gene results in two transcript variants encoding two RARF components that are involved in the mannan-binding lectin pathway of complement activation. The longer isoform is cleaved into two chains which form a heterodimer linked by a disulfide bond. The encoded proteins

are members of the trypsin family of peptidases.

Synonyms: MAP19; MASP-2; MASP1P1; sMAP

**Protein Families:** Druggable Genome, Protease, Secreted Protein

**Protein Pathways:** Complement and coagulation cascades




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350706] (MASP2 Antibody) at dilution 1/35 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350706] (MASP2 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)









Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350706] (MASP2 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)