

Product datasheet for TA350718

NMDAR2A (GRIN2A) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human prostate cancer Predicted cell location: Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human GRIN2A **Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: glutamate ionotropic receptor NMDA type subunit 2A

Database Link: NP 000824

Entrez Gene 14811 MouseEntrez Gene 24409 RatEntrez Gene 2903 Human

Q12879



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: This gene encodes a member of the glutamate-gated ion channel protein family. The

encoded protein is an N-methyl-D-aspartate (NMDA) receptor subunit. NMDA receptors are both ligand-gated and voltage-dependent, and are involved in long-term potentiation, an activity-dependent increase in the efficiency of synaptic transmission thought to underlie certain kinds of memory and learning. These receptors are permeable to calcium ions, and activation results in a calcium influx into post-synaptic cells, which results in the activation of several signaling cascades. Disruption of this gene is associated with focal epilepsy and speech disorder with or without mental retardation. Alternative splicing results in multiple

transcript variants.

Synonyms: EPND; FESD; GluN2A; LKS; NMDAR2A; NR2A


Protein Families: Druggable Genome, Ion Channels: Glutamate Receptors, Ion Channels: Sodium,

Transmembrane

Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Calcium signaling pathway, Long-


term potentiation, Neuroactive ligand-receptor interaction, Systemic lupus erythematosus

Product images:



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA350718 (GRIN2A Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA350718 (GRIN2A Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)