

## **Product datasheet for TA350745S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **ARPC2 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: 231 cells and human fetal brain tissue, NIH/3T3 and PC3 cells

IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human ARPC2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 34 kDa

**Gene Name:** actin related protein 2/3 complex subunit 2

Database Link: NP 690601

Entrez Gene 76709 MouseEntrez Gene 301511 RatEntrez Gene 10109 Human

<u>015144</u>

**Background:** This gene encodes one of seven subunits of the human Arp2/3 protein complex. The Arp2/3

protein complex has been implicated in the control of actin polymerization in cells and has been conserved through evolution. The exact role of the protein encoded by this gene, the p34 subunit, has yet to be determined. Two alternatively spliced variants have been

characterized to date. Additional alternatively spliced variants have been described but their

full length nature has not been determined.







Synonyms: ARC34; p34-Arc; PNAS-139; PRO2446

**Protein Pathways:** Fc gamma R-mediated phagocytosis, Pathogenic Escherichia coli infection, Regulation of actin

cytoskeleton

## **Product images:**





NIH/3T3 cells PC3 cells


Primary antibody: [TA350745] (ARPC2 Antibody)

at dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 40 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350745] (ARPC2 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350745] (ARPC2 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA350745] (ARPC2 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA350745] (ARPC2 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)