

Product datasheet for TA350920S

NEK4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human colon cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human NEK4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: NIMA related kinase 4

Database Link: NP 003148

Entrez Gene 6787 Human

P51957

Background: NIMA was originally shown in Aspergillus nidulans to be necessary for entry into mitosis.

NIMA-related mammalian proteins have since been identified as Nek1, Nek2, Nek3 and Nek4 (also designated STK2 or NRK2). High expression of Nek1 is seen in male and female germ cell lines of mouse. Nek2 is the closest known mammalian relative to NIMA. Like NIMA, Nek2 expression peaks at the G2 to M phase transition. Nek3 is a predominantly cytoplasmic enzyme that was detectable in all organs studied. Levels of Nek3 seem to remain unchanged throughout the cell cycle, but appear to be elevated in G0-arrested, quiescent fibroblasts. In developing testicular germ cells, differential patterns of expression were seen for Nek1, Nek2

and Nek4, indicating possible overlapping, but non-identical functions.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: NRK2; pp12301; STK2

Protein Families: Druggable Genome, Protein Kinase

Product images:




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA350920] (NEK4 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA350920] (NEK4 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA350920] (NEK4 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA350920] (NEK4 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)