

## **Product datasheet for TA350954**

## **HTR2C Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: Jurkat cells

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human HTR2C

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 52 kDa

**Gene Name:** 5-hydroxytryptamine receptor 2C

Database Link: NP 000859

Entrez Gene 15560 MouseEntrez Gene 25187 RatEntrez Gene 3358 Human

P28335

**Background:** Serotonin (5-hydroxytryptamine, 5-HT), a neurotransmitter, elicits a wide array of

physiological effects by binding to several receptor subtypes, including the 5-HT2 family of seven-transmembrane-spanning, G-protein-coupled receptors, which activate phospholipase C and D signaling pathways. This gene encodes the 2C subtype of serotonin receptor and its mRNA is subject to multiple RNA editing events, where genomically encoded adenosine

residues are converted to inosines.

Synonyms: 5-HT1C; 5-HT2C; 5-HTR2C; 5HTR2C; HTR1C



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Calcium signaling pathway, Gap junction, Neuroactive ligand-receptor interaction

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 60 μg Lane: Jurkat cells

Primary antibody: TA350954 (HTR2C Antibody) at

dilution 1/300

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 1 minute