

# Product datasheet for TA351019

## **CACNA1C Rabbit Polyclonal Antibody**

### **Product data:**

**Product Type: Primary Antibodies Applications:** IHC Recommended Dilution: IHC: 25-100 Positive control: Human gasrtic cancer Predicted cell location: Cytoplasm **Reactivity:** Human Host: Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Synthetic peptide of human CACNA1C Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln Concentration: lot specific Purification: Antigen affinity purification **Conjugation:** Unconjugated Storage: Store at -20°C as received. Stability: Stable for 12 months from date of receipt. Gene Name: calcium voltage-gated channel subunit alpha1 C Database Link: NP 000710 Entrez Gene 775 Human Q13936

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **CACNA1C** Rabbit Polyclonal Antibody – TA351019


Background:	This gene encodes an alpha-1 subunit of a voltage-dependent calcium channel. Calcium
	channels mediate the influx of calcium ions into the cell upon membrane polarization. The
	alpha-1 subunit consists of 24 transmembrane segments and forms the pore through which
	ions pass into the cell. The calcium channel consists of a complex of alpha-1, alpha-2/delta,
	beta, and gamma subunits in a 1:1:1:1 ratio. There are multiple isoforms of each of these
	proteins, either encoded by different genes or the result of alternative splicing of transcripts.
	The protein encoded by this gene binds to and is inhibited by dihydropyridine. Alternative
	splicing results in many transcript variants encoding different proteins. Some of the predicted
	proteins may not produce functional ion channel subunits.
Synonyms:	CACH2; CACN2; CACNL1A1; CaV1.2; CCHL1A1; LQT8; TS
Protein Families:	Druggable Genome, Ion Channels: Calcium, Transmembrane
Protein Pathways:	Alzheimer's disease, Arrhythmogenic right ventricular cardiomyopathy (ARVC), Calcium signaling pathway, Cardiac muscle contraction, Dilated cardiomyopathy, GnRH signaling pathway, Hypertrophic cardiomyopathy (HCM), Long-term potentiation, MAPK signaling pathway, Type II diabetes mellitus, Vascular smooth muscle contraction

### **Product images:**



Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA351019 (CACNA1C Antibody) at dilution 1/30 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA351019 (CACNA1C Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA351019 (CACNA1C Antibody) at dilution 1/30 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA351019 (CACNA1C Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US