

Product datasheet for TA351033

CARD4 (NOD1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human NOD1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: nucleotide binding oligomerization domain containing 1

Database Link: NP 006083

Entrez Gene 107607 MouseEntrez Gene 10392 Human

Q9Y239

Background: This gene encodes a member of the NOD (nucleotide-binding oligomerization domain)

family. This member is a cytosolic protein. It contains an N-terminal caspase recruitment domain (CARD), a centrally located nucleotide-binding domain (NBD), and 10 tandem leucinerich repeats (LRRs) in its C terminus. The CARD is involved in apoptotic signaling, LRRs

participate in protein-protein interactions, and mutations in the NBD may affect the process

of oligomerization and subsequent function of the LRR domain. This protein is an

intracellular pattern-recognition receptor (PRR) that initiates inflammation in response to a

subset of bacteria through the detection of bacterial diaminopimelic acid.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: CARD4; CLR7.1; NLRC1


Protein Families: Druggable Genome

Protein Pathways: Epithelial cell signaling in Helicobacter pylori infection, NOD-like receptor signaling pathway

Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA351033 (NOD1 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA351033 (NOD1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA351033 (NOD1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA351033 (NOD1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)