

Product datasheet for TA351085S

CLIC4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 500-2000

WB positive control: Human normal kidney and liver tissue

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CLIC4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 29 kDa

Gene Name: chloride intracellular channel 4

Database Link: NP 039234

Entrez Gene 29876 MouseEntrez Gene 83718 RatEntrez Gene 25932 Human

Q9Y696

Background: Chloride channels are a diverse group of proteins that regulate fundamental cellular

processes including stabilization of cell membrane potential, transepithelial transport, maintenance of intracellular pH, and regulation of cell volume. Chloride intracellular channel 4 (CLIC4) protein, encoded by the CLIC4 gene, is a member of the p64 family; the gene is expressed in many tissues and exhibits a intracellular vesicular pattern in Panc-1 cells

(pancreatic cancer cells).

Synonyms: CLIC4L; H1; huH1; MTCLIC; p64H1

Protein Families: Druggable Genome, Ion Channels: Other




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Gel: 12%SDS-PAGE Lysate: 40 μg

Lane 1-2: Human normal kidney tissue

Human liver tissue

Primary antibody: [TA351085] (CLIC4 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 10 seconds