

Product datasheet for TA351121S

Cytochrome P450 2B6 (CYP2B6) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human colon cancer tissue

IHC: 25-100

Positive control: Human gasrtic cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CYP2B6

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 56 kDa

Gene Name: cytochrome P450 family 2 subfamily B member 6

Database Link: NP 000758

Entrez Gene 1555 Human

P20813

Background: This gene, CYP2B6, encodes a member of the cytochrome P450 superfamily of enzymes. The

cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by phenobarbital. The enzyme is known to metabolize some xenobiotics, such as the anti-cancer drugs cyclophosphamide and

ifosphamide.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cytochrome P450 2B6 (CYP2B6) Rabbit Polyclonal Antibody – TA351121S

Synonyms: CPB6; CYP2B; CYP2B7; CYP2B7P; CYPIIB6; EFVM; IIB1; P450

Protein Families: Druggable Genome, P450

Protein Pathways: Arachidonic acid metabolism, Drug metabolism - cytochrome P450, Metabolic pathways,

Metabolism of xenobiotics by cytochrome P450, Retinol metabolism

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg

Lane: Human colon cancer tissue


Primary antibody: [TA351121] (CYP2B6 Antibody)

at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution


Exposure time: 4 minutes



Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using [TA351121] (CYP2B6 Antibody) at dilution 1/25 (Original

magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using [TA351121] (CYP2B6 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)