

## **Product datasheet for TA351200S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Galactoside 2 alpha L fucosyltransferase 1 (FUT1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Raji cell lysate

IHC: 50-100

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human FUT1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 41 kDa

**Gene Name:** fucosyltransferase 1 (H blood group)

Database Link: NP 000139

Entrez Gene 2523 Human

P19526

**Background:** The protein encoded by this gene is a Golgi stack membrane protein that is involved in the

creation of a precursor of the H antigen, which is required for the final step in the soluble A and B antigen synthesis pathway. This gene is one of two encoding the galactoside 2-L-fucosyltransferase enzyme. Mutations in this gene are a cause of the H-Bombay blood group.

Synonyms: H; HH; HSC

**Protein Families:** Druggable Genome, Transmembrane






**Protein Pathways:** 

Glycosphingolipid biosynthesis - globo series, Glycosphingolipid biosynthesis - lacto and neolacto series, Metabolic pathways

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg Lane: Raji cell lysate


Primary antibody: [TA351200] (FUT1 Antibody) at

dilution 1/800

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA351200] (FUT1 Antibody) at dilution 1/35 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA351200] (FUT1 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA351200] (FUT1 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA351200] (FUT1 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)