

# Product datasheet for TA351267S

# HSD11B2 Rabbit Polyclonal Antibody

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: Human placenta and normal kidney tissue IHC: 25-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human HSD11B2
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	44 kDa
Gene Name:	hydroxysteroid (11-beta) dehydrogenase 2
Database Link:	<u>NP 000187</u> Entrez Gene 3291 Human <u>P80365</u>
Background:	There are at least two isozymes of the corticosteroid 11-beta-dehydrogenase, a microsomal enzyme complex responsible for the interconversion of cortisol and cortisone. The type I isozyme has both 11-beta-dehydrogenase (cortisol to cortisone) and 11-oxoreductase (cortisone to cortisol) activities. The type II isozyme, encoded by this gene, has only 11-beta-dehydrogenase activity.
Synonyms:	AME; AME1; HSD2; HSD11K; SDR9C3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


# Scheric HSD11B2 Rabbit Polyclonal Antibody – TA351267S

Protein Families: Druggable Genome


Protein Pathways:

Androgen and estrogen metabolism, C21-Steroid hormone metabolism, Metabolic pathways


### **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: Human placenta tissue Human normal kidney tissue Primary antibody: [TA351267] (HSD11B2 Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA351267] (HSD11B2 Antibody) at dilution 1/35 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA351267] (HSD11B2 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA351267] (HSD11B2 Antibody) at dilution 1/35 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA351267] (HSD11B2 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US