

# **Product datasheet for TA351339**

## LANPL (ANP32E) Rabbit Polyclonal Antibody

### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse thymus tissue

IHC: 50-200

Positive control: Human ovarian cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human ANP32E

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 31 kDa

**Gene Name:** acidic nuclear phosphoprotein 32 family member E

Database Link: NP 112182

Entrez Gene 66471 MouseEntrez Gene 361999 RatEntrez Gene 81611 Human

Q9BTT0



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### Background:

The Anp32 family consists of 32 evolutionarily-conserved proteins and is included within the superfamily of leucine-rich repeat (LRR) proteins. Leucine-rich acidic nuclear protein-like (LANPL), also called ANP32E or Cpd1, is a member of the Anp32 family. LANPL is located in the cytoplasm of peripheral blood leukocytes, colon, small intestine, prostate, thymus, spleen, skeletal muscle, liver and kidney. It has also been detected in the nucleus, cytoplasm and membrane of multiple brain regions. Upon phosphorylation, LANPL colocalizes and inhibits protein phosphatase 2A (PP2A), but does not inhibit PP1. LANPL modulates cell signalling and transduction of gene expression to regulate the morphology and dynamics of the cytoskeleton, cell adhesion, neural development and cerebellar morphogenesis.

Synonyms: LANP-L; LANPL

**Protein Families:** Druggable Genome

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 μg

Lane: Mouse thymus tissue


Primary antibody: TA351339 (ANP32E Antibody)

at dilution 1/300

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution


Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA351339 (ANP32E Antibody) at dilution 1/25 (Original

magnification: ×200)






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA351339 (ANP32E Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA351339 (ANP32E Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA351339 (ANP32E Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)