

Product datasheet for TA351347S

LC3C (MAP1LC3C) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human MAP1LC3CFormulation:pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: microtubule associated protein 1 light chain 3 gamma

Database Link: NP 001004343

Entrez Gene 440738 Human

Q9BXW4

Background: Autophagy is a highly regulated bulk degradation process that plays an important role in

cellular maintenance and development. MAP1LC3C is an ortholog of the yeast

autophagosome protein Atg8. Ubiquitin-like modifier that plays a crucial role in antibacterial autophagy (xenophagy) through the selective binding of CALCOCO2. Recruites all ATG8 family

members to infecting bacteria such as S.Typhimurium.

Synonyms: ATG8J; LC3C




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA351347] (MAP1LC3C Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA351347] (MAP1LC3C Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA351347] (MAP1LC3C Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA351347] (MAP1LC3C Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)