

Product datasheet for TA351355S

LLGL1 Rabbit Polyclonal Antibody

Product data:

Host:

Product Type: Primary Antibodies

IHC **Applications:**

Recommended Dilution: IHC: 50-200

> Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human Rabbit

Isotype: lgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human LLGL1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stability: Stable for 12 months from date of receipt.

Gene Name: LLGL1, scribble cell polarity complex component

Database Link: NP 004131

Entrez Gene 3996 Human

Q15334

Background: This gene encodes a protein that is similar to a tumor suppressor in Drosophila. The protein

> is part of a cytoskeletal network and is associated with nonmuscle myosin II heavy chain and a kinase that specifically phosphorylates this protein at serine residues. The gene is located

within the Smith-Magenis syndrome region on chromosome 17.

Synonyms: DLG4; HUGL; HUGL-1; HUGL1; LLGL

Protein Families: Druggable Genome

Protein Pathways: Tight junction




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA351355] (LLGL1 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA351355] (LLGL1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA351355] (LLGL1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA351355] (LLGL1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)