

Product datasheet for TA351412S

ACTH (POMC) Rabbit Polyclonal Antibody

ELISA

Rabbit IgG

Polyclonal

Unconjugated

NP 001030333

P01189

Primary Antibodies

Human, Mouse, Rat

Synthetic peptide of human POMC

Antigen affinity purification

Store at -20°C as received.

proopiomelanocortin

pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Stable for 12 months from date of receipt.

Entrez Gene 18976 MouseEntrez Gene 24664 RatEntrez Gene 5443 Human

Product data:

Product Type:

Applications:

Reactivity:

Host:

lsotype: Clonality:

Immunogen:

Formulation: Purification:

Conjugation:

Gene Name:

Database Link:

Storage:

Stability:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE ACTH (POMC) Rabbit Polyclonal Antibody – TA351412S

Background: This gene encodes a polypeptide hormone precursor that undergoes extensive, tissuespecific, post-translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. There are eight potential cleavage sites within the polypeptide precursor and, depending on tissue type and the available convertases, processing may yield as many as ten biologically active peptides involved in diverse cellular functions. The encoded protein is synthesized mainly in corticotroph cells of the anterior pituitary where four cleavage sites are used; adrenocorticotrophin, essential for normal steroidogenesis and the maintenance of normal adrenal weight, and lipotropin beta are the major end products. In other tissues, including the hypothalamus, placenta, and epithelium, all cleavage sites may be used, giving rise to peptides with roles in pain and energy homeostasis, melanocyte stimulation, and immune modulation. These include several distinct melanotropins, lipotropins, and endorphins that are contained within the adrenocorticotrophin and betalipotropin peptides. The antimicrobial melanotropin alpha peptide exhibits antibacterial and antifungal activity. Mutations in this gene have been associated with early onset obesity, adrenal insufficiency, and red hair pigmentation. Alternatively spliced transcript variants encoding the same protein have been described. Supanyme

Synonyms:	ACTH, CLIP, LPH, MISH, NPP, POC
Protein Families:	Druggable Genome
Protein Pathways:	Adipocytokine signaling pathway, Melanogenesis

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US