

Product datasheet for TA351433

NDUFS2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse heart and brain tissue, Jurkat cells

IHC: 50-200

Positive control: Human ovarian cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human NDUFS2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 53 kDa

Gene Name: NADH:ubiquinone oxidoreductase core subunit S2

Database Link: NP 004541

Entrez Gene 226646 MouseEntrez Gene 289218 RatEntrez Gene 4720 Human

075306



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


The protein encoded by this gene is a core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (complex I). Mammalian mitochondrial complex I is composed of at least 43 different subunits, 7 of which are encoded by the mitochondrial genome, and the rest are the products of nuclear genes. The iron-sulfur protein fraction of complex I is made up of 7 subunits, including this gene product. Complex I catalyzes the NADH oxidation with concomitant ubiquinone reduction and proton ejection out of the mitochondria. Mutations in this gene are associated with mitochondrial complex I deficiency. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Synonyms: CI-49

Protein Pathways: Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane 1-3: Mouse heart tissue

Mouse brain tissue

Jurkat cells

Primary antibody: TA351433 (NDUFS2 Antibody)


at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA351433 (NDUFS2 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA351433 (NDUFS2 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA351433 (NDUFS2 Antibody) at dilution 1/50 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA351433 (NDUFS2 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)