

## **Product datasheet for TA351446**

## I 309 (CCL1) Rabbit Polyclonal Antibody

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CCL1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** C-C motif chemokine ligand 1

Database Link: NP 002972

Entrez Gene 6346 Human

P22362

**Background:** This gene is one of several chemokine genes clustered on the q-arm of chromosome 17.

Chemokines form a superfamily of secreted proteins involved in immunoregulatory and inflammatory processes. The superfamily is divided into four subfamilies based on the arrangement of the N-terminal cysteine residues of the mature peptide. This chemokine, a member of the CC subfamily, is secreted by activated T cells and displays chemotactic activity

for monocytes but not for neutrophils. It binds to the chemokine (C-C motif) receptor 8.

**Synonyms:** I-309; P500; SCYA1; SISe; TCA3

**Protein Families:** Druggable Genome, Secreted Protein



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




**Protein Pathways:** 

Chemokine signaling pathway, Cytokine-cytokine receptor interaction

## **Product images:**




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA351446 (CCL1 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA351446 (CCL1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA351446 (CCL1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA351446 (CCL1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)