

Product datasheet for TA351619S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

S100 Calcium Binding Protein A13 (S100A13) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse skeletal muscle tissue lysate

IHC: 50-200

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human S100A13

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: S100 calcium binding protein A13

Database Link: NP 005970

Entrez Gene 6284 Human

Q99584

Background: The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-

hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein is widely expressed in various types

of tissues with a high expression level in thyroid gland.


Synonyms: OTTHUMP00000034802; S100 calcium-binding protein A13; S100 calcium binding protein A13






Protein Families: Druggable Genome

Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA351619] (S100A13 Antibody) at dilution 1/35 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA351619] (S100A13 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA351619] (S100A13 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA351619] (S100A13 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)