

## **Product datasheet for TA351751**

## **Spindly (SPDL1) Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human prostate cancer

Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human SPDL1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: spindle apparatus coiled-coil protein 1

Database Link: NP 060255

Entrez Gene 54908 Human

Q96EA4

**Background:** Required for the localization of dynein and dynactin to the mitotic kintochore. Dynein is

believed to control the initial lateral interaction between the kinetochore and spindle

microtubules and to facilitate the subsequent formation of end-on kinetochore-microtubule attachments mediated by the NDC80 complex. Also required for correct spindle orientation. Does not appear to be required for the removal of spindle assembly checkpoint (SAC)

proteins from the kinetochore upon bipolar spindle attachment.

Synonyms: CCDC99




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## **Product images:**




Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA351751 (SPDL1 Antibody) at dilution 1/40 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA351751 (SPDL1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA351751 (SPDL1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA351751 (SPDL1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)