

## **Product datasheet for TA351788S**

## **KCNK3 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse heart tissue

IHC: 10-50

Positive control: Human brain

Predicted cell location: Cytoplasm and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human KCNK3

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 45 kDa

Gene Name: potassium two pore domain channel subfamily K member 3

Database Link: NP 002237

Entrez Gene 16527 MouseEntrez Gene 29553 RatEntrez Gene 3777 Human

<u>014649</u>

**Background:** TASK channels are highly sensitive to external pH in the physiological range. TASK-1 is

expressed in brain and in rat heart, with high levels of expression in the right atrium. TASK-2,

mainly expressed in kidney, is localized in cortical distal tubules and collecting ducts,

suggesting a role in renal K+ transport. TASK-3 from rat cerebellum shares 54% identity with

TASK-1, but less than 30% identity with TASK-2 and other tandem pore K+ channels.

Synonyms: K2p3.1; OAT1; PPH4; TASK; TASK-1; TBAK1



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Families:** 

Druggable Genome, Ion Channels: Potassium, Transmembrane

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse heart tissue


Primary antibody: [TA351788] (KCNK3 Antibody)

at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA351788] (KCNK3 Antibody) at dilution 1/20 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA351788] (KCNK3 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)