

Product datasheet for TA351901

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CHRDL1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: 293T cells and Human normal kidney tissue

IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CHRDL1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 51 kDa

Gene Name: chordin-like 1

Database Link: NP 660277

Entrez Gene 91851 Human

Q9BU40

Background: This gene encodes an antagonist of bone morphogenetic protein 4. The encoded protein may

play a role in topographic retinotectal projection and in the regulation of retinal angiogenesis in response to hypoxia. Alternatively spliced transcript variants encoding different isoforms

have been described.

Synonyms: CHL; dA141H5.1; MGC1; MGCN; NRLN1; VOPT







Protein Families:

ES Cell Differentiation/IPS, Secreted Protein

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: 293T cells Human normal kidney tissue Primary antibody: TA351901 (CHRDL1 Antibody) at dilution 1/400 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 3 minutes



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA351901 (CHRDL1 Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA351901 (CHRDL1 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)