

## **Product datasheet for TA351916S**

## **VSIG10 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 30-150

Positive control: Human brain

Predicted cell location: Cell membrane

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human VSIG10

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** V-set and immunoglobulin domain containing 10

Database Link: NP 061959

Entrez Gene 54621 Human

Q8N0Z9

**Background:** It is the genetic home for a number of immunoglobulin superfamily members including the

killer cell and leukocyte Ig-like receptors, a number of ICAMs, the CEACAM and PSG family, and Fcå receptors. Key genes for eye color and hair color also map to chromosome 19. Peutz-

Jeghers syndrome, spinocerebellar ataxia type 6, the stroke disorder CADASIL,

hypercholesterolemia and insulin-dependent diabetes have been linked to chromosome 19.

Translocations with chromosome 19 and chromosome 14 can be seen in some

lymphoproliferative disorders and typically involve the proto-oncogene BCL3. The LOC147645 gene product has been provisionally designated LOC147645 pending further characterization.

Synonyms: FLJ20674; MGC1013



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




**Protein Families:** Transmembrane

## **Product images:**




Immunohistochemistry of paraffin-embedded Human brain tissue using [TA351916] (VSIG10 Antibody) at dilution 1/45 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA351916] (VSIG10 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA351916] (VSIG10 Antibody) at dilution 1/45 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA351916] (VSIG10 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)