

## **Product datasheet for TA351965**

## **ZBTB2 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 30-150

Positive control: Human breast cancer

Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Synthetic peptide of human ZBTB2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: zinc finger and BTB domain containing 2

Database Link: NP 065912

Entrez Gene 57621 Human

Q8N680

Background: ZBTB2 is a 514 amino acid nuclear protein that contains one BTB (POZ) domain and 4 C2H2-

type zinc fingers. ZBTB25, also known as ZNF46 or KUP, is a 435 amino acid nuclear protein that is expressed mainly in hematopoietic cells and testis and contains one BTB (POZ) domain

and 2 C2H2-type zinc fingers.

Synonyms: ZNF437

**Protein Families:** Transcription Factors




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA351965 (ZBTB2 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA351965 (ZBTB2 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA351965 (ZBTB2 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA351965 (ZBTB2 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)