

Product datasheet for TA352003S

CBX7 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: K562 and TM4 cell lysates

IHC: 25-50

Positive control: Human gastric cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CBX7

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 28 kDa

Gene Name: chromobox 7

Database Link: NP 783640

Entrez Gene 362962 RatEntrez Gene 23492 Human

O95931

Background: CBX7 (Chromobox protein homolog 7) is a 251 amino acid nuclear protein that contains one

N-terminal chromo domain and one C-terminal Pc box. Highly expressed in kidney, brain, heart and skeletal muscle, with weaker expression in peripheral blood leukocytes, CBX7 functions as a component of the chromatin-associated polycomb complex (PcG) and is

involved in maintaining the transcriptionally repressed state of target genes.

Synonyms: chromobox homolog 7; OTTHUMP00000028984




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-2: K562 and TM4 cell lysates Primary antibody: [TA352003] (CBX7 Antibody) at dilution 1/650 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 3 minutes



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA352003] (CBX7 Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA352003] (CBX7 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)