

## **Product datasheet for TA354178**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Collagen I (COL1A1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Recommended Dilution:** WB 0.1-1 μg/ml ELISA 0.01-0.1 μg/ml IP 2-5 μg/ml IHC 2-10 μg/ml FC 5-10 μg/ml

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant protein encoding aa 1160-1367 of human collagen I expressed in E.Coli.

**Formulation:** This affinity purified antibody is supplied in sterile Phosphate buffered saline (pH7.2)

containing antibody stabilizer.

**Purification:** The Rabbit IgG is purified by Epitope Affinity Purification

**Conjugation:** Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 95 kDa

**Gene Name:** collagen type I alpha 1

Database Link: NP 000079

Entrez Gene 1277 Human

P02452

**Background:** Collagens are highly conserved throughout evolution and are characterised by an

uninterrupted "Glycine X Y" triplet repeat that is a necessary part of the triple helical structure. Type I collagen (95 kDa) is found in bone, cornea, skin and tendon. Mutations in the encoding gene are associated with osteogenesis imperfecta, Ehlers Danlos syndrome, and idiopathic osteoporosis. Reciprocal translocations between chromosomes 17 and 22, where this gene and the gene for Platelet-derived growth factor beta are located, are associated with a particular type of skin tumor called dermatofibrosarcoma protuberans, resulting from

unregulated expression of the growth factor.

**Synonyms:** EDSC; OI1; OI2; OI3; OI4

**Protein Families:** Druggable Genome







**Protein Pathways:** ECM-receptor interaction, Focal adhesion