

# **Product datasheet for TA354472**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **AKT1 Rabbit Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB 0.1-1 μg/ml ELISA 0.01-0.1 μg/ml IP 2-5 μg/ml IHC 2-10 μg/ml FC 5-10 μg/ml

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** A synthetic peptide corresponding to the close to C-term of human AKT1 protein.

**Formulation:** This affinity purified antibody is supplied in sterile Phosphate buffered saline (pH7.2)

containing antibody stabilizer.

**Purification:** The Rabbit IgG is purified by Epitope Affinity Purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 60 kDa

**Gene Name:** AKT serine/threonine kinase 1

Database Link: NP 001014431

Entrez Gene 11651 MouseEntrez Gene 24185 RatEntrez Gene 207 Human

P31749

Background: Akt [also known as PKB (Protein kinase B) is a family of serine/threonine kinases that plays an

important role in signal transduction. There are three known isoforms of Akt in mammalian cells [Akt1 (a), Akt2 ( $\beta$ ) and Akt3 (?)]; Akt2 and Akt3 have 81% and 83% homology in amino acid sequences with Akt1, respectively. Numerous studies have revealed that the expression pattern of Akt1 and Akt2 is ubiquitous, whereas Akt3 is expressed predominantly in brain, heart, and kidney. Akt is activated by insulin and growth and survival factors .Akt has been referred to as an oncogene because it has increased activity in a number of tumors.

Synonyms: AKT; CWS6; PKB; PKB-ALPHA; PRKBA; RAC; RAC-ALPHA

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase





#### **Protein Pathways:**

Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Insulin signaling pathway, Jak-STAT signaling pathway, MAPK signaling pathway, Melanoma, mTOR signaling pathway, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Tight junction, Toll-like receptor signaling pathway, VEGF signaling pathway

# **Product images:**



WB: The Cell lysate derived from HELA cell line was immunoblotted by Rabbit anti-AKT1 antibody, at 1:500 (lane 1), Lane 2: BSA as a negative control.