

## Product datasheet for **TA354836**

### NF- $\kappa$ B p65 (RELA) Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Recommended Dilution:	WB 0.1-1 $\mu$ g/ml ELISA 0.01-0.1 $\mu$ g/ml IP 2-5 $\mu$ g/ml IHC 2-10 $\mu$ g/ml FC 5-10 $\mu$ g/ml
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	A synthetic peptide derived from epitope -DASVDN- with the phosphorylation site Ser468 of human NF- $\kappa$ B p65 protein. This sequence is identical to human, mouse and rat.
Formulation:	This affinity purified antibody is supplied in sterile Tris-buffered saline (pH7.2) containing antibody stabilizer.
Purification:	The Rabbit IgG is purified by site-modified Epitope Affinity Purification.
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	RELA proto-oncogene, NF- $\kappa$ B subunit
Database Link:	<a href="#">NP_001138610</a> <a href="#">Entrez Gene 19697 Mouse</a> <a href="#">Entrez Gene 5970 Human</a> <a href="#">Q04206</a>
Synonyms:	NFKB3; p65
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Cytosolic DNA-sensing pathway, Epithelial cell signaling in Helicobacter pylori infection, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Prostate cancer, RIG-I-like receptor signaling pathway, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway



[View online »](#)