

# Product datasheet for TA355043

## GAPDH Mouse Monoclonal Antibody [Clone ID: 12D3D5]

### **Product data:**

#### **Product Type: Primary Antibodies Clone Name:** 12D3D5 **Applications:** WB **Recommended Dilution:** WB: 1-2µg/ml. **Reactivity:** Human, Mouse, Rat Host: Mouse Isotype: lgG **Clonality:** Monoclonal GAPDH antibody was raised against a 16 amino acid peptide near the carboxy terminus of Immunogen: human GAPDH. Formulation: GAPDH antibody is supplied in PBS containing 0.02% sodium azide. **Concentration:** 1 mg/ml **Purification:** GAPDH antibody is Protein A purified. **Conjugation:** Unconjugated Storage: Store at -20°C as received. Stable for 12 months from date of receipt. Stability: Predicted Protein Size: Predicted: 37 kDa; Observed: 36 kDa Gene Name: glyceraldehyde-3-phosphate dehydrogenase Database Link: NP 002037 Entrez Gene 2597 Human P04406



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	GAPDH Mouse Monoclonal Antibody [Clone ID: 12D3D5] – TA355043
Background:	Glyceraldehyde-3-phosphate dehydrogenase (GAPDH) catalyzes the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate in the presence of inorganic phosphate and nicotinamide adenine dinucleotide (NAD), an important energy-yielding step in carbohydrate metabolism. It also is involved in a number of cellular processes such as membrane fusion, phosphotransferase activity, DNA replication and repair, and nuclear RNA export (1). GAPDH also plays a role in different pathologies such as cancer progression, apoptosis, and neuronal diseases such as Alzheimer's and Huntington's disease (2). GAPDH is constitutively expressed at high levels in almost all tissues and cell lines making it ideal for use as a loading control marker in immunoblots.
Synonyms:	G3PD; GAPD; MGC88685; OTTHUMP00000174431; OTTHUMP00000174432
Note:	GAPDH antibody can be used for detection of GAPDH by Western blot at 1 - 2 $\mu$ g/ml.

### **Product images:**

~ 火



Western blot analysis of GAPDH in multiple cell and tissue lysates with GAPDH antibody at 1ug/ml. Lanes 1-23, 293, A431, A549, Daudi, HeLa, HepG2, Jurkat, K562, MOLT, 3T3, Raji, Ramos, U937, human brain, mouse brain, rat brain, rabbit brain, human heart, rat heart, human liver, mouse liver, rat liver, rabbit liver, respectively.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US