

## **Product datasheet for TA358706**

## **KRT6A Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** WB

Reactivity: Human Host: Rabbit

Clonality: Polyclonal

Specificity: Expected reactivity: Cow, Dog, Horse, Human, Mouse, Pig, Rabbit, Rat, Sheep

Homology: Cow: 100%; Dog: 93%; Horse: 100%; Human: 100%; Mouse: 100%; Pig: 100%;

Rabbit: 100%; Rat: 100%; Sheep: 93%

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Concentration: lot specific

**Purification: Affinity Purified** Conjugation: Unconjugated

Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

aliquots to prevent freeze-thaw cycles.

Shelf life: one year from despatch. Stability:

**Predicted Protein Size:** 59kDa Gene Name: keratin 6A Database Link: NP 005545

Entrez Gene 3853 Human

P02538



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

The protein encoded by this gene is a member of the keratin gene family. The type II cytokeratins consist of basic or neutral proteins which are arranged in pairs of heterotypic keratin chains coexpressed during differentiation of simple and stratified epithelial tissues. As many as six of this type II cytokeratin (KRT6) have been identified; the multiplicity of the genes is attributed to successive gene duplication events. The genes are expressed with family members KRT16 and/or KRT17 in the filiform papillae of the tongue, the stratified epithelial lining of oral mucosa and esophagus, the outer root sheath of hair follicles, and the glandular epithelia. This KRT6 gene in particular encodes the most abundant isoform. Mutations in these genes have been associated with pachyonychia congenita. The type II cytokeratins are clustered in a region of chromosome 12q12-q13.

Synonyms:

CK6A; CK6C; CK6D; Cytokeratin-6A; Cytokeratin-6D; K6A; K6C; K6D; KRT6C; KRT6D

## **Product images:**



WB Suggested Anti-KRT6A Antibody Titration: 1.0 ug/ml

Positive Control: A549 Whole Cell