

## **Product datasheet for TA359505**

## t datachaat fax TAREGEO

## **ROBO3 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

Reactivity: Human Rabbit

Clonality: Polyclonal

**Immunogen:** The immunogen is a synthetic peptide directed towards the C-terminal region of Human

ROBO3

**Specificity: Expected reactivity**: Human

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

**Concentration:** lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

**Storage:** For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

aliquots to prevent freeze-thaw cycles.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: 152kDa

**Gene Name:** roundabout guidance receptor 3

Database Link: NP 071765

Entrez Gene 64221 Human

Q96MS0



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene is a member of the Roundabout (ROBO) gene family that controls neurite outgrowth, growth cone guidance, and axon fasciculation. ROBO proteins are a subfamily of the immunoglobulin transmembrane receptor superfamily. SLIT proteins 1-3, a family of secreted chemorepellants, are ligands for ROBO proteins and SLIT/ROBO interactions regulate myogenesis, leukocyte migration, kidney morphogenesis, angiogenesis, and vasculogenesis in addition to neurogenesis. This gene, ROBO3, has a putative extracellular domain with five immunoglobulin (Ig)-like loops and three fibronectin (Fn) type III motifs, a transmembrane segment, and a cytoplasmic tail with three conserved signaling motifs: CC0, CC2, and CC3 (CC for conserved cytoplasmic). Unlike other ROBO family members, ROBO3 lacks motif CC1. The ROBO3 gene regulates axonal navigation at the ventral midline of the neural tube. In mouse, loss of Robo3 results in a complete failure of commissural axons to cross the midline throughout the spinal cord and the hindbrain. Mutations ROBO3 result in horizontal gaze palsy with progressive scoliosis (HGPPS); an autosomal recessive disorder characterized by congenital absence of horizontal gaze, progressive scoliosis, and failure of the corticospinal and somatosensory axon tracts to cross the midline in the medulla. Alternative transcript variants have been described but have not been experimentally validated.

Synonyms:

FLJ21044; HGPPS; HGPS; RBIG1; RIG1

## **Product images:**




Host: Rabbit Target Name: ROBO3

Sample Type: 721\_B Whole Cell lysates

Antibody Dilution: 1ug/ml





Host: Rabbit
Target Name: ROBO3

Sample Tissue: Jurkat Cell Lysate Antibody Dilution: 1.0µg/ml

Host: Rabbit

Target Name: ROBO3

Sample Type: Jurkat Whole Cell lysates

Antibody Dilution: 1.0ug/ml