

## **Product datasheet for TA360649**

## **PSPC1** Rabbit Polyclonal Antibody

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** WB

Reactivity: Human Host: Rabbit

Clonality: Polyclonal

The immunogen is a synthetic peptide directed towards the c terminal region of human Immunogen:

PSPC1

Specificity: **Expected reactivity**: Human

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Concentration: lot specific

**Purification:** Affinity purified Conjugation: Unconjugated

Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

aliquots to prevent freeze-thaw cycles.

Stability: Shelf life: one year from despatch.

**Predicted Protein Size:** 57 kDa

Gene Name: paraspeckle component 1

Database Link: NP 001035879.1

Entrez Gene 55269 Human

Q8WXF1



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a nucleolar protein that localizes to punctate subnuclear structures that occur close to splicing speckles, known as paraspeckles. These paraspeckles are composed of RNA-protein structures that include a non-coding RNA, NEAT1/Men epsilon/beta, and the Drosophila Behavior Human Splicing family of proteins, which include the product of this gene and the P54NRB/NONO and PSF/SFPQ proteins. Paraspeckles may function in the control of gene expression via an RNA nuclear retention mechanism. The protein encoded by this gene is found in paraspeckles in transcriptionally active cells, but it localizes to unique cap structures at the nucleolar periphery when RNA polymerase II transcription is inhibited, or during telophase. Alternative splicing of this gene results in multiple transcript variants. A related pseudogene, which is also located on chromosome 13, has been identified.

**Synonyms:** DKFZp566B1447; FLJ10955; PSP1

**Protein Families:** Transcription Factors

## **Product images:**



Host: Rabbit Target Name: PSPC1

Sample Tissue: Human Uterus Tumor lysates

Antibody Dilution: 1ug/ml