

Product datasheet for TA363176

Il1rap Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Reactivity: Mouse Host: Rabbit

Clonality: Polyclonal

The immunogen is a synthetic peptide directed towards the C terminal region of mouse Immunogen:

IL1RAP

Specificity: **Expected reactivity**: Mouse

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Concentration: lot specific

Purification: Affinity purified Conjugation: Unconjugated

Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

aliquots to prevent freeze-thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 62 kDa

Gene Name: interleukin 1 receptor accessory protein

Database Link: NP 001152790.1

Entrez Gene 16180 Mouse

Q61730



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Coreceptor for IL1RL2 in the IL-36 signaling system. Coreceptor with IL1R1 in the IL-1 signaling system. Associates with IL1R1 bound to IL1B to form the high affinity interleukin-1 receptor complex which mediates interleukin-1-dependent activation of NF-kappa-B and other pathways. Signaling involves the recruitment of adapter molecules such as TOLLIP, MYD88, and IRAK1 or IRAK2 via the respective TIR domains of the receptor/coreceptor subunits. Recruits TOLLIP to the signaling complex. Does not bind to interleukin-1 alone; binding of IL1RN to IL1R1, prevents its association with IL1R1 to form a signaling complex. The cellular response is modulated through a non-signaling association with the membrane IL1R2 decoy receptor. Secreted forms (isoforms 2 and 3) associate with secreted ligand-bound IL1R2 and increase the affinity of secreted IL1R2 for IL1B; this complex formation may be the dominant mechanism for neutralization of IL1B by secreted/soluble receptors. Coreceptor for IL1RL1 in the IL-33 signaling system. Can bidirectionally induce pre- and postsynaptic differentiation of neurons by trans-synaptically binding to PTPRD. May play a role in IL1B-mediated costimulation of IFNG production from T-helper 1 (Th1) cells (By similarity).

Synonyms:

C3orf13; FLJ37788; IL-1RAcP; IL1R3; OTTHUMP00000209486; OTTHUMP00000209487; OTTHUMP00000209489; OTTHUMP00000209492

Product images:



Host: Rabbit Target Name: IL1RAP Sample Tissue: Mouse Liver lysates Antibody Dilution: 1ug/ml