

## Product datasheet for **TA363889**

### Corticotropin Releasing Factor (CRH) Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA
Recommended Dilution:	This antibody has been tested and validated in ELISA against human BNP-32. Other applications like immunohistochemistry (IHC), FACS or Western Blot may work as well. Optimal dilutions should be determined by the end user.
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Synthetic peptide H-Ser-Pro-Lys-Met-Val-Gln-Gly-Ser-Gly-Cys-Phe-Gly- Arg-Lys-Met-Asp-Arg-Ile-Ser-Ser-Ser-Ser-Gly-Leu-Gly-Cys-Lys-Val-Leu- Arg-Arg-His-OH, (Disulfide bond) coupled to carrier protein.
Formulation:	This polyclonal antibody is supplied as a lyophilized powder. The powder should be rehydrated with 50ml of RIA buffer. Upon reconstitution to 50ml total volume, the solution contains 0.1M sodium phosphate buffer (pH 7.4), 0.05M NaCl, 0.1% BSA, 0.01% NaN <sub>3</sub> , and 0.1% Triton X-100. Store at 4° - 8°C. This should ensure antibody stability for approximately one month.
Concentration:	N/A
Conjugation:	Unconjugated
Storage:	Original vial: at least one year at 4° - 8°C from date of delivery. Minimize repeated thawing and freezing of the antiserum by freezing aliquots at -20°C or below.
Gene Name:	corticotropin releasing hormone
Database Link:	<a href="#">Entrez Gene 1392 Human P06850</a>



[View online »](#)

**Background:**

The natriuretic peptide family consists of three biologically active peptides: atrial natriuretic peptide (ANP), brain (or B-type) natriuretic peptide (BNP), and C-type natriuretic peptide (CNP). Among these, ANP and BNP are secreted by the heart and act as cardiac hormones. Both ANP and BNP preferentially bind to natriuretic peptide receptor-A (NPR-A) and exert similar effects. Expression and secretion of ANP and BNP are stimulated by various factors and are regulated via multiple signaling pathways. The human BNP precursor proBNP is proteolytically processed to BNP1-32 and N-terminal proBNP (NT-proBNP) within ventricular myocytes. Uncleaved proBNP as well as mature BNP1-32 and NT-proBNP is secreted from the heart, and its secretion is increased in patients with heart failure. This antibody was generated by immunization of rabbits with BNP-32 coupled to a carrier protein.

**Synonyms:**

CRF