

## Product datasheet for **TA364003**

### Bombesin Rabbit Polyclonal Antibody


#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA
Recommended Dilution:	This antibody has been tested and validated in ELISA against Bombesin. Other applications like immunohistochemistry (IHC), FACS or Western Blot may work as well. Optimal dilutions should be determined by the end user.
Reactivity:	Human, Mammalian
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Synthetic peptide Pyr-Gln-Arg-Leu-Gly-Asn-Gln-Trp-Ala-Val-Gly-His- Leu-Met-NH <sub>2</sub> coupled to carrier protein.
Formulation:	Neat undiluted antiserum, lyophilized, packaged under nitrogen. Reconstitute by adding 50µl distilled water. This will give the equivalent of undiluted antiserum.
Concentration:	N/A
Conjugation:	Unconjugated
Storage:	Original vial: at least one year at 4° - 8°C from date of delivery. Minimize repeated thawing and freezing of the antiserum by freezing aliquots at -20°C or below.
Background:	Bombesin is a 14-amino acid peptide originally isolated from the skin of the European fire-bellied toad ( <i>Bombina orientalis</i> ). It has two known homologs in mammals called neuromedin B and gastrin-releasing peptide. Bombesin stimulates gastrin release from G cells and activates three different G-protein-coupled receptors known as BBR1, -2, and -3. It also activates these receptors in the brain. Together with cholecystokinin, Bombesin is the second major source of negative feedback signals that stop eating behaviour. Also, it is known to be a tumor marker for small cell carcinoma of lung, gastric cancer, pancreatic cancer, and neuroblastoma. This antibody was generated by immunization of rabbits with Bombesin coupled to a carrier protein.



[View online »](#)

Product images:



Typical titration curve of Bombesin in a competitive ELISA with this antibody