

Product datasheet for TA364322

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Ghrl Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA

Recommended Dilution: This antibody has been tested and validated in ELISA against Obestatin. Other applications

like immunohistochemistry (IHC), FACS or Western Blot may work as well. Optimal dilutions

should be determined by the end user.

Reactivity: Rat

Host: Rabbit

Clonality: Polyclonal

Immunogen: Synthetic peptide H-Phe-Asn-Ala-Pro-Phe-Asp-Val-Gly-Ile-Lys-Leu-Ser- Gly-Val-Gln-Tyr-Gln-Gln-

His-Ser-Gln-Ala-Leu-NH2 coupled to a carrier protein.

Formulation: Protein A affinity purified from antiserum, lyophilized, packaged under nitrogen. Reconstitute

by adding 0.2ml distilled water. This stock solution contains 2mg/ml IgG, phosphate buffer

saline pH 7.4 (PBS), and 0.02% (w/v) Thimerosal as a preservative.

Concentration: N/A

Conjugation: Unconjugated

Storage: Original vial: at least one year at 4° - 8°C from date of delivery. Minimize repeated thawing

and freezing of the antiserum by freezing aliquots at -20°C or below.

Gene Name: ghrelin/obestatin prepropeptide

Database Link: Entrez Gene 59301 Rat

Q9QYH7







Background:

Obestatin is a hormone that is produced in specialized epithelial cells of the stomach and small intestine of several animals including humans. It opposes the actions of ghrelin which are growth hormone secretion and increased appetite. The purpose of producing two hormones with opposing effects is not clear: removing the ghrelin gene from mice did not significantly reduce food intake. No secretory convertase is capable of cleaving the recombinant proghrelin precursor by cleavage at the single basic residue required for generation of the obestatin sequence. Thus, the physiological generation of this particular peptide sequence remains unproven. Obestatin has opposite action to ghrelin on food intake and plays a role in energy balance. Circuit-resistance exercise resulted in a significant change in GH levels, but had no effect on plasma Obestatin levels. This antibody was generated by immunization of rabbits with Obestatin coupled to a carrier protein.

Synonyms:

ghrelin; ghrelin/obestatin; MTLRP; obestatin; OTTHUMP00000207794; OTTHUMP00000207795; OTTHUMP00000207796; OTTHUMP00000207798